# HP LaserJet Pro M501 Series



Gain impressive print speeds and performance with this energy-saving printer that starts faster.<sup>1</sup>

Put impressive print speeds and performance to work in your office. This energy-saving printer starts faster<sup>1</sup> and delivers security features to help guard against threats. Original HP Toner cartridges with JetIntelligence produce more pages.<sup>2</sup>



**HP LaserJet Pro M501n** 



HP LaserJet Pro M501dn

## Big results, small footprint

- Don't wait for documents. Print your first page in as few as 7.3 seconds from energy-efficient sleep mode.<sup>5</sup>
- This printer leads its class in low energy use<sup>3</sup>—thanks to its innovative design and toner technology.
- Print two-sided documents faster than the competition and print up to 65 pages per minute on A5 paper.<sup>1,6</sup>
- This compact, quiet printer is designed to fit in tight spaces and offers a 1,200-sheet maximum capacity.<sup>7</sup>

# Get strong protection and easily manage your fleet

- Help keep printing safe from boot up to shutdown with security features that guard against complex threats.
- Help ensure documents remain confidential with PIN printing enabled through an optional USB drive.<sup>4</sup>
- Employ policy-based protection for printing devices with optional HP JetAdvantage Security Manager.<sup>9</sup>
- Easily manage devices and settings using HP Web Jetadmin with a suite of essential management features.<sup>8</sup>

# More pages, performance, and protection

- Produce sharp text, bold blacks, and crisp graphics with precision black toner
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.<sup>2</sup>
- Help ensure the Original HP quality you paid for, using anti-fraud and cartridge authentication technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.<sup>10</sup>

# **Product walkaround**

- 1 250-sheet output bin
- 2 Top cover release button (access to JetIntelligence toner cartridges)
- 3 Gigabit Ethernet port, USB port for job storage with PIN printing,<sup>1</sup> Hi-speed USB 2.0 printing port
- 4 256 MB standard memory and 1.5 GHz processor
- 5 2-line LCD control panel with numerical keypad
- 6 100-sheet multipurpose tray 1
- 7 Automatic two-sided printing<sup>2</sup>
- 8 550-sheet tray 2

#### HP LaserJet Pro M501dn shown



# Series at a glance



Model	M501n	M501dn	
Product number	J8H60A	J8H61A	
Up to 43 pages per minute (ppm), A4³, simplex print speed	✓	<b>√</b>	
2-line LCD control panel with numerical keypad	✓	✓	
Standard 100-sheet multipurpose tray and 550-sheet tray 2	✓	✓	
Optional 550-sheet tray 3	✓	✓	
9,000/18,000-page black toner replacement cartridges (standard/high-capacity) <sup>4,5</sup>	✓	✓	
Automatic two-sided printing	Not available	✓	
ENERGY STAR® certified	Not available	<b>√</b>	

 $<sup>^{\</sup>mbox{\tiny 1}}$  Requires purchase of separate USB flash drive with at least 16 GB capacity.

<sup>&</sup>lt;sup>2</sup> Two-sided printing is not available for the HP LaserJet Pro M501n model.

<sup>&</sup>lt;sup>3</sup> Measured using ISO/IEC 24734 Feature Performance Test; excludes first set of test documents. For more information, see <a href="https://hpc.com/go/printerclaims">hpc.com/go/printerclaims</a>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>&</sup>lt;sup>4</sup> Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see, <u>hp.com/go/learnaboutsupplies</u>

<sup>&</sup>lt;sup>5</sup> HP 87X High Yield Black Original LaserJet Toner cartridges are not included in printer purchase; purchase separately. Learn more at hp.com/go/learnaboutsupplies

### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

**Optimized Care (optimum performance** and stability): 4 hour Onsite Support. Maintenance Kit Replacement Service. Installation with Network Configuration Service

#### Standard Care (high level of uptime): Next

Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Basic Care (minimum recommended** support): Next Business Day Onsite Support

**4 hr Onsite Support:** Onsite support within four hours after a service call received within the coverage window

**Next Business Day Onsite Support:** Onsite service the next business day after the service call is received

#### **Maintenance Kit Replacement Service:**

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

#### **Installation with Network Configuration**

**Service:** Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



















# **Top Features**

Stay ahead of schedule with the fastest first page out from sleep mode. This compact, quiet printer outperforms the competition on energy efficiency and two-sided printing speed.<sup>3,1</sup>

Work with confidence, not worries. Get strong protection for devices, data, and documents, using embedded security features, and centrally manage your entire printer fleet.<sup>4</sup>

Bring out the best in your printer. Print more high-quality pages than ever before, 2 using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

#### Product

18H60A HP LaserJet Pro M501n J8H61A HP LaserJet Pro M501dn

#### Accessories

F2A72A HP LaserJet 550-sheet Paper Tray

#### Supplies & Maintenance Kits7

CF287A HP 87A Black Original LaserJet Toner Cartridge (~9.000 pages) CF287X HP 87X Black Original LaserJet Toner Cartridge (~18,000 pages)

#### **HP Care Packs**

U9CQ0E HP 3-year Next Business Day + DMR LaserJet Pro M501 Hardware Support HP 4-year Next Business Day + DMR LaserJet Pro M501 Hardware Support U9CQ1E U9CQ2E HP 5-year Next Business Day + DMR LaserJet Pro M501 Hardware Support U9CQ6E HP 3-year Return LaserJet Pro M501 SVC U9CR0PF

HP 1-year Post Warranty Next Business Day + DMR LaserJet Pro M501

Hardware Support

U9CR3PF HP 1-year Post Warranty Return LaserJet Pro M501 SVC

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Contact HP via phone: Asia: 65 6253 8500

#### Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Fonts, Barcodes, and IPDS Emulation available at hp.com/go/laserjetfonts

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/qo/qsc

Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 12/2015. Subject to device settings. Actual results may vary. For details, see <a href="hp-com/go/Ljclaims">hp-com/go/Ljclaims</a> More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies 3 Based on comparisons of data reported on energystar.gov for mono laser printers with >1% worldwide market share as reported by IDC as of Q3 2015, available worldwide and with print speeds of 40–50 ppm (A4). Actual results may vary. Learn more at hp.com/go/ljclaims 4 HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin

# **HP LaserJet Pro M501 Series**

Print resolution technologies Print cartridges number  Standard print languages Printer management  Printer management  UPD Printer PRNCON.EXE,  Connectivity  Standard connectivity Mobile printing capability Network ready Network ready Network capabilities  Memory  Duty cycle³  Processor speed Paper handling Input³ Output Media type  Paper (plai  Media weight Media sizes custom  Dimensions⁴ (W x D x H)  Weight  What's in the box  HP Laser Jet Fpages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS co 32- & 64-bit editon HP.com and (12.2, 12.3, Minimum system requirements  PC Windows (S (n-OS (6.0.x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power supply ipart number	Manual  Black (normal, A4): Up to 43 ppm; Black (normal, letter): Up to 45  Black (A4, ready): As fast as 5.8 se  Black (A4, ready): As fast as 5.8 se  ack (best): 600 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (normal): 600  HP FastRes 1200, H  21  HP PCL 5, HP PCL 6, HP postscript level 3 emu dministrator Resource Kit; Active Directory Administrator Template for UPD, Aut 4PPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev  Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gapt  Standard/Mi Up to 100,000 pages; Recommended m  150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face trans; Tray 1: 60 to 220 g/m²; Tr	Automatic  Automatic  Sippm; Black (Landscape, A5): Up to 66 ppm; Duplex (A4): Up to 34 ipm  ec; Black (A4, sleep): As fast as 7.2 sec  aser  0 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (fine lines): Up to 1200 x 1200 dpi  IP ProRes 1200, 600 dpi  (black)  dulation, direct PDF (v 1.7) printing, URF, PCLM, PWG  oUpgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator, JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac), rice Toolbox  et 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T  Print <sup>TM</sup> , Mopria-certified  in Gigabit Ethernet)  iit; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: 1,500 to 6,000 pages  00 MHz  n cassette; Optional: 550-sheet cassette tray (Tray 3)  e down output tray  exck, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  ray 2 & Tray 3: 60 to 220 g/m²  ray 2 & Tray 3: 10.5 x 148 mm to 215.9 x 355.6 mm	
Duplex print options Print speed¹ First page out² Print technology Print resolution Print resolution Print resolution Print resolution technologies Print cartridges number Standard print languages Printer management UPD Printer APRICON.EXE,  Connectivity Mobile printing capability Network ready Network ready Network capabilities Memory Duty cycle³ Processor speed Paper handling Input³ Output Media type Paper (plai Media weight Media sizes custom Dimensions² (W x D x H) Weight What's in the box HP LaserJet F pages); in-box Flyer, Warrant documentation Warranty features Systems Compatible operating systems Windows OS cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Minimum system requirements Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition) HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition) HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition) HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition) HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition) HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition) HP.com and (12.2, 12.3, Pc: Windows (S cc 32- 8 64-bit edit Print Driver (Fr 64-bit edition) HP.com and HP.com	Black (normal, A4): Up to 43 ppm; Black (normal, letter): Up to 45 Black (A4, ready): As fast as 5.8 se L ack (Dest): 600 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (normal): 600 HP FastRes 120.0 HP FastRes 120.0 HP PCL 5, HP PCL 6, HP postscript level 3 emu dministrator Resource Kit; Active Directory Administrator Template for UPD, Aut HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (Duilt- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 150 100-sheet multipurpose tray and 550-sheet mair 250-sheet face in, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardstot trans Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti	is ppm; Black (Landscape, A5): Up to 66 ppm; Duplex (A4): Up to 34 ipm ec; Black (A4, sleep): As fast as 7.2 sec asser  0 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (fine lines): Up to 1200 x 1200 dpi	
Print speed¹ First page out² Print technology Print resolution technologies Print cartridges number Standard print languages Printer management UPD Printer APRICON.EXE, Connectivity Standard connectivity Mobile printing capability Network ready Network ready Network capabilities Memory Duty cycle¹ Processor speed Paper handling Input³ Output Media type Paper (plai Weight Media sizes custom Dimensions² (W x D x H) Weight What's in the box HP LaserJet F pages); In-box Flyer, Warrant documentation Warranty features Systems Compatible operating systems Windows OS co 32- & 64-bit edit Print Driver (Fr 64-bit edit Print Driver (Fr 64-bit edit HP.com and (12.2, 12.3, Minimum system requirements PC: Windows OS (6.0.x, 7.x); Ott Mac: Mac OS (H installation); ded Fonts and typefaces Control panel Power Power Power supply	Black (normal, A4): Up to 43 ppm; Black (normal, letter): Up to 45 Black (A4, ready): As fast as 5.8 se L ack (Dest): 600 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (normal): 600 HP FastRes 120.0 HP FastRes 120.0 HP PCL 5, HP PCL 6, HP postscript level 3 emu dministrator Resource Kit; Active Directory Administrator Template for UPD, Aut HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (Duilt- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 150 100-sheet multipurpose tray and 550-sheet mair 250-sheet face in, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardstot trans Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti	is ppm; Black (Landscape, A5): Up to 66 ppm; Duplex (A4): Up to 34 ipm ec; Black (A4, sleep): As fast as 7.2 sec asser  0 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (fine lines): Up to 1200 x 1200 dpi	
First page out² Print technology Print resolution Print resolution technologies Print cartridges number Standard print languages Printer management UPD Printer APRICON.EXE, Connectivity Standard connectivity Mobile printing capability Network ready Network capabilities Memory Duty cycle³ Processor speed Paper handling Input³ Output Media type Paper (plai Media weight Media sizes custom Dimensions* (W x D x H) Weight What's in the box HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features Systems Compatible operating systems Windows OS Co 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Minimum system requirements PC Windows Co (6.0.x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces Control panel Power Power Power supply	Black (A4, ready): As fast as 5.8 se  L  ack (best): 600 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (normal): 600  HP FastRes 1200, H  HP FastRes 1200, H  HP PCL 5, HP PCL 6, HP postscript level 3 emu dministrator Resource Kit; Active Directory Administrator Template for UPD, Autt 4PPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev  Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air  Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi  Standard/M Up to 100,000 pages; Recommended m  150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardstox trans  Tray 1: 60 to 220 g/m²; Tr  Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Tr	ec; Black (A4, sleep): As fast as 7.2 sec  asser  0 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (fine lines): Up to 1200 x 1200 dpi  IP ProRes 1200, 600 dpi  (black)  ulation, direct PDF (v 1.7) printing, URF, PCLM, PWG  outpgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator, JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac), irice Toolbox  **t 10Base=T/100Base=Tx, Gigabit Ethernet 1000Base=T  Print™, Mopria-certified  in Gigabit Ethernet)  it; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: *1,500 to 6,000 pages  00 MHz  acassette; Optional: 550-sheet cassette tray (Tray 3)  e down output tray  ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  (ay 2 & Tray 3: 60 to 220 g/m²	
Print technology Print resolution Print resolution technologies Print cartridges number Standard print languages Printer management UPD Printer APRICON.EXE, PRINCON.EXE, Standard connectivity Mobile printing capability Network ready Network capabilities Memory Duty cycle Processor speed Paper handling Inputs Output Media type Paper (plai Media sizes custom Dimensions* (W x D x H) Weight What's in the box HP LaserJet F pages); In-box Flyer, Warrant documentation Warranty features Systems Compatible operating systems Windows OS co 32- & 64-bit edit Print Driver (Fr 64-bit edition HEcom and (12.2, 12.3, PC Windows (S (6.0.x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces Control panel Power Power Power supply ip part number	L  ack (best): 600 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (normal): 600  HP FastRes 1200, H  2 I  HP PCL 5, HP PCL 6, HP postscript level 3 emu dministrator Resource Kit; Active Directory Administrator Template for UPD, Auto HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev  Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi  Standard/M  Up to 100,000 pages; Recommended m  150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardstox trans;  Tray 1: 60 to 220 g/m²; Tr  Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Tr 418 x 37	Daser  Daser  Dase (Sou dpi, Up to 4800 x 600 enhanced dpi; Black (fine lines): Up to 1200 x 1200 dpi  IP ProRes 1200, 600 dpi  (black)  Jalation, direct PDF (v 1.7) printing, URF, PCLM, PWG  OUpgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator, Jet Admin Software, HP Proxy Agent Software, HP Jet Advantage Security Manager, HP Utility (Mac), ice Toolbox  et 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T  Print™, Mopria-certified  in Gigabit Ethernet)  it; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: 1,500 to 6,000 pages  OD MHz  acassette; Optional: 550-sheet cassette tray (Tray 3)  e down output tray  bock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  cay 2 & Tray 3: 60 to 220 g/m²	
Print resolution Print resolution technologies Print cartridges number Standard print languages Printer management UPD Printer PRNCON.EXE, Standard connectivity Mobile printing capability Network ready Network capabilities Memory Duty cycle <sup>3</sup> Processor speed Paper handling Input <sup>5</sup> Output Media type Paper (plai Media sizes custom Dimensions* (W x D x H) Weight What's in the box HP Laser Jet F pages); In-box Flyer, Warrant documentation Warranty features Systems Compatible operating systems Windows OS co 32- 8.64-bit edit Print Driver (Fr 64-bit editon HP.com and (12.2, 12.3, Minimum system requirements Pc Windows (S (n-OS (6.0.x, 7.x); Ott Mac: Mac OS (H installation); ded Fonts and typefaces Control panel Power Power Powersupply ipart number	ack (best): 600 x 600 dpi, Up to 4800 x 600 enhanced dpi; Black (normal): 600 HP FastRes 1200, H 21 HP PCL 5, HP PCL 6, HP postscript level 3 em. dministrator Resource Kit; Active Directory Administrator Template for UpD, Aut HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/M Up to 100,000 pages; Recommended m 150 100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardstot trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Tr	ox 600 dpi, Up to 4800 x 600 enhanced dpi; Black (fine lines): Up to 1200 x 1200 dpi  IP ProRes 1200, 600 dpi  (black)  Idiation, direct PDF (v 1.7) printing, URF, PCLM, PWG  obupgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator, JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac), idea Toolbox  et 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T  Print™, Mopria-certified  in Gigabit Ethernet) iit; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: ¹1,500 to 6,000 pages  00 MHz  in cassette; Optional: 550-sheet cassette tray (Tray 3) e down output tray  occupance of the second of the	
Print resolution technologies Print cartridges number  Standard print languages Printer management  PRNCON.EXE,  Connectivity  Standard connectivity Mobile printing capability Network ready Network capabilities  Memory  Duty cycle³  Processor speed Paper handling Input³ Output Media type  Paper (plai  Media weight Media sizes custom  Dimensions* (W x D x H)  Weight What's in the box  HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS cost 32- & 64-bit editon H2 com and (12.2, 12.3, 14.2).  Minimum system requirements  Pic Windows (S (6.0 x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel Power  Power Paper (Paid  UPD Printer PRNCON.EXE,  UPD PRNCON.EXE,	HP FastRes 1200, H 2 (  HP PCL 5, HP PCL 6, HP postscript level 3 em dministrator Resource Kit; Active Directory Administrator Template for UPD, Aut HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev  Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 15(  100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans;  Tray 1: 60 to 220 g/m²; Tr  Tray 1: 76.2 × 127 mm to 215.9 × 355.6 mm; Tr 418 × 37	IP ProRes 1200, 600 dpi (black)  Jalation, direct PDF (v 1.7) printing, URF, PCLM, PWG  OUtgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator,  JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac),  ite 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T  Print™, Mopria-certified  in Gigabit Ethernet)  iit; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: ¹ 1,500 to 6,000 pages  00 MHz  in cassette; Optional: 550-sheet cassette tray (Tray 3)  e down output tray  sock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  ray 2 & Tray 3: 60 to 220 g/m²	
Print cartridges number  Standard print languages  Printer management  UPD Printer PRNCON.EXE,  Connectivity  Standard connectivity  Mobile printing capability  Network ready  Network capabilities  Memory  Duty cycle³  Processor speed  Paper handling  Input³  Output  Media type  Paper (plai  Media weight  Media sizes custom  Dimensions⁴ (W x D x H)  Weight  What's in the box  HP LaserJet F pages); in-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS co 32- 8 64-bit edit Print Driver (Fr 64-bit edition H2 com and (12.2, 12.3	HP PCL 5, HP PCL 6, HP postscript level 3 emu dministrator Resource Kit; Active Directory Administrator Template for UPD, Auth HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev  Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Etherne, Gaile Standard/Mi Up to 100,000 pages; Recommended m 150  100-sheet multipurpose tray and 550-sheet mair 250-sheet fact in, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardiot trans  Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Tr	(black)  silation, direct PDF (v 1.7) printing, URF, PCLM, PWG  obgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator, JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac), rice Toolbox  et 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T  Print <sup>1M</sup> , Mopria-Certified	
Standard print languages Printer management Printer management UPD Printer A PRNCON.EXE.  Connectivity Standard connectivity Mobile printing capability Network ready Network capabilities Memory Duty cycle³ Processor speed Paper handling Input³ Output Media type Paper (plai Media sizes custom Dimensions³ (W x D x H) Weight What's in the box HP LaserJet F pages): In-box Flyer, Warrant documentation  Warranty features Systems Compatible operating systems Windows OS co 32- & 64-bit edit Print Driver (F 64	HP PCL 5, HP PCL 6, HP postscript level 3 emu. dministrator Resource Kit; Active Directory Administrator Template for UPD, Aut dPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev  Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 150  100-sheet multipurpose tray and 550-sheet mair 250-sheet fact a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans  Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	ulation, direct PDF (v 1.7) printing, URF, PCLM, PWG  oUpgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator, JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac), rice Toolbox  **t 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T  Print™, Mopria-certified	
Printer management  Printer management  UPD Printer A PRNCON.EXE.  Connectivity  Standard connectivity  Mobile printing capability  Network ready  Network capabilities  Memory  Duty cycle³  Processor speed  Paper handling  Input³  Output  Media type  Paper (plai  Media weight  Media sizes custom  Dimensions³ (W x D x H)  Weight  What's in the box  HP LaserJet F pages): In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS Co. 32-8 64-bit edit Print Driver (F 64-bit edit Print D	dministrator Resource Kit; Active Directory Administrator Template for UPD, Autr HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev  Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face in, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	oUpgradeUPD, Driver configuration Utility, Driver Deployment Utility, Managed Print Administrator,  JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac),  rice Toolbox  **t 10Base=T/100Base=Tx, Gigabit Ethernet 1000Base=T  Print™, Mopria-certified  **in Gigabit Ethernet)  *it; Auto-crossover Ethernet; Authentication via 802.1X  **aximum: 256 MB  **onthly page volume:*  1,500 to 6,000 pages  **on MHz  **accessette; **Optional: 550-sheet cassette tray (Tray 3)  **ed own output tray  **ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels;  parencies  **ray 2 & Tray 3: 60 to 220 g/m²	
Connectivity  Standard connectivity  Mobile printing capability  Network ready Network capabilities  Memory  Duty cycle <sup>3</sup> Processor speed  Paper handling Input <sup>5</sup> Output  Media type Paper (plai  Media sizes custom  Dimensions <sup>6</sup> (W x D x H)  Weight  What's in the box  HP LaserJet F pages): In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS Co 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Minimum system requirements  Minimum system requirements  Pewindows Co (6.0.x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power supply i part number	HPPRLOG, Migrate-Server- Tools, UpdateNow, RemovePlugPlayDrivers; HP Web HP Dev Hi-Speed USB 2.0 Host/Device Ports; Fast Etherne HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 150 100-sheet multipurpose tray and 550-sheet mair 250-sheet face it, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardstot trans Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager, HP Utility (Mac), irice Toolbox  It 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T  Print™, Mopria-certified in Gigabit Ethernet) it; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: 1,500 to 6,000 pages  00 MHz  n cassette; Optional: 550-sheet cassette tray (Tray 3) e down output tray ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  cay 2 & Tray 3: 60 to 220 g/m²	
Standard connectivity  Mobile printing capability  Network ready Network capabilities  Memory  Duty cycle³  Processor speed  Paper handling Input³ Output  Media type Paper (plai  Media weight Media sizes custom  Dimensions³ (W x D x H)  Weight  What's in the box  HP LaserJet F pages): In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS Co 32- 8 64-bit edit Print Driver (Fr 64-bit edit Print Dri	HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/M Up to 100,000 pages; Recommended m 150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	Print™, Mopria-certified -in Gigabit Ethernet) it; Auto-crossover Ethernet; Authentication via 802.1X aximum: 256 MB onthly page volume:* 1,500 to 6,000 pages 00 MHz -in cassette; Optional: 550-sheet cassette tray (Tray 3) e down output tray ck, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies ray 2 & Tray 3: 60 to 220 g/m²	
Mobile printing capability  Network ready  Network capabilities  Memory  Duty cycle  Processor speed  Paper handling  Input*  Output  Media type  Paper (plai  Media weight  Media sizes custom  Dimensions* (W x D x H)  Weight  What's in the box  HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS co 32- & 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3,  Minimum system requirements  PC Windows (S (n-OS (6.0.x, 7.x); Ot Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power supply i part number	HP ePrint, Apple Air Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/M Up to 100,000 pages; Recommended m 150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	Print™, Mopria-certified  in Gigabit Ethernet)  it; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: ⁴ 1,500 to 6,000 pages  00 MHz  in cassette; Optional: 550-sheet cassette tray (Tray 3)  e down output tray  ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  ray 2 & Tray 3: 60 to 220 g/m²	
Network ready Network capabilities  Memory  Duty cycle <sup>3</sup> Processor speed  Paper handling Input <sup>5</sup> Output Media type Paper (plai  Media sizes custom Dimensions <sup>4</sup> (W x D x H) Weight What's in the box HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features Systems Compatible operating systems Windows OS cost 32- 8. 64-bit edit Print Driver (Fr 64-bit editon HP com and (12.2, 12.3, Minimum system requirements  Minimum system requirements Pc Windows (S (6.0.x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces Control panel Power Power Power upply ip part number	Standard (built- Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face it, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 × 127 mm to 215.9 × 355.6 mm; Tr 418 × 37	in (sigabit Ethernet) it; Auto-crossover Ethernet; Authentication via 802.1X aximum: 256 MB onthly page volume: 1,500 to 6,000 pages 00 MHz  in cassette; Optional: 550-sheet cassette tray (Tray 3) e down output tray ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies ray 2 & Tray 3: 60 to 220 g/m²	
Network capabilities  Memory  Duty cycle³  Processor speed  Paper handling Input³  Output  Media type  Paper (plai  Media sizes custom  Dimensions⁴ (W x D x H)  Weight  What's in the box  HP LaserJet F pages): In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Compatible operating systems  Windows OS cost 32- 8.64-bit editor Print Driver (Fr 64-bit editor HRcom and (12.2, 12.3, 12.3).  Minimum system requirements  Pic Windows (C rall 32- 8.64-bit editor in the com and (12.2, 12.3, 12.3).  Minimum system requirements  For Windows (S cost 32- 8.64-bit edit Print Driver (Fr 64-bit editor) (Fr	Via built-in 10/100/1000Base-TX Ethernet, Gigabi Standard/Mi Up to 100,000 pages; Recommended m 150 100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	it; Auto-crossover Ethernet; Authentication via 802.1X  aximum: 256 MB  onthly page volume: 1,500 to 6,000 pages  00 MHz  n cassette; Optional: 550-sheet cassette tray (Tray 3)  e down output tray  ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  ray 2 & Tray 3: 60 to 220 g/m²	
Memory Duty cycle³ Processor speed Paper handling Input³ Output Media type Paper (plai Media weight Media sizes custom Dimensions⁴ (W x D x H) Weight What's in the box HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features Systems Compatible operating systems Windows OS co 32- & 64-bit edit Print Driver (Fro 64-bit editing HP.com and (12.2, 12.3, 13.3) Minimum system requirements PC: Windows (7 all 32- & 64-bit Linux OS (In-OS (6.0x, 7.x); oth Mac: Mac OS (H installation); ded  Fonts and typefaces Control panel Power Power Power supply (part number)	Standard/Mi Up to 100,000 pages; Recommended m 150  100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	aximum: 256 MB  onthly page volume: 1,500 to 6,000 pages  00 MHz  n cassette: Optional: 550-sheet cassette tray (Tray 3)  e down output tray  sck, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  ray 2 & Tray 3: 60 to 220 g/m²	
Duty cycle <sup>3</sup> Processor speed  Paper handling Input <sup>3</sup> Output  Media type Paper (plai  Media weight Media sizes custom  Dimensions <sup>4</sup> (W x D x H)  Weight  What's in the box  HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS co 32- 8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3	Up to 100,000 pages; <b>Recommended m</b> 150 100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans  Tray 1: 60 to 220 g/m²; Tr  Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	onthly page volume: 1,500 to 6,000 pages  00 MHz  n cassette; <b>Optional:</b> 550-sheet cassette tray (Tray 3)  e down output tray  sck, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  ray 2 & Tray 3: 60 to 220 g/m²	
Processor speed Paper handling Input* Output Media type Paper (plai  Media weight Media sizes custom Dimensions* (W x D x H) Weight What's in the box  HP LaserJet F pages): In-box Flyer, Warrant documentation  Warranty features Systems Compatible operating systems Windows OS co 32- & 64-bit edit Print Driver (Fr 64-bit edit Print Driver (Fr 64-bit edit on HP.com and (12.2, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 13.3- & 64-bit Linux OS (In-OS (6.0x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces Control panel Power Power Power Paper (plai	150  100-sheet multipurpose tray and 550-sheet mair 250-sheet fact a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardiot trans  Tray 1: 60 to 220 g/m²; Tr  Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti 418 x 37	00 MHz  n cassette; <b>Optional:</b> 550-sheet cassette tray (Tray 3) e down output tray ck, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies cay 2 & Tray 3: 60 to 220 g/m²	
Paper handling Inputs Output  Media type Paper (plaid Media weight Media sizes custom Dimensions* (W x D x H) Weight What's in the box HP LaserJet Fpages); In-box Flyer, Warrant documentation Warranty features Systems Compatible operating systems Windows OS Cand Sea 64-bit edit Print Driver (Fr 64-bit edition HPcom and (12.2, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 12.3, 13.2 - 8.64-bit Linux OS (In-OS (6.0.x, 7.x); Otto Mac: Mac OS (Hinstallation); ded  Fonts and typefaces Control panel Power Power Power Paper (plaid in paper) Power Paper (plaid in paper) Paper (plaid i	100-sheet multipurpose tray and 550-sheet mair 250-sheet face a, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 × 127 mm to 215.9 × 355.6 mm; Tr 418 × 37	n cassette; <b>Optional:</b> 550-sheet cassette tray (Tray 3) e down output tray ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies ray 2 & Tray 3: 60 to 220 g/m²	
Input <sup>5</sup> Output  Media type  Paper (plai  Media weight  Media sizes custom  Dimensions* (W x D x H)  Weight  What's in the box  HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS co 32- 8. 64-bit edit Print Driver (Fr 64-bit editon HP.com and (12.2, 12.3, Minimum system requirements  Minimum system requirements  Pc Windows (C 32- 8. 64-bit edit Print Driver (Fr 64-bit editon HP.com and (12.2, 12.3, Minimum system requirements)  Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power upply ip part number	250-sheet face, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans;  Tray 1: 60 to 220 g/m²; Tr  Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti  418 x 37	e down output tray ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies ray 2 & Tray 3: 60 to 220 g/m²	
Output  Media type  Paper (plai  Media weight  Media sizes custom  Dimensions* (W x D x H)  Weight  What's in the box  HP LaserJet F pages): In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Compatible operating systems  Windows OS co 32- 8. 64-bit edit Print Driver (Fr 64-bit edition H2com and (12.2, 12.3, Minimum system requirements  Minimum system requirements  Page 32- 8. 64-bit edit Print Driver (Fr 64-bit edition H2com and (12.2, 12.3, Minimum system requirements)  Position of the print of the p	250-sheet face, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans;  Tray 1: 60 to 220 g/m²; Tr  Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Ti  418 x 37	e down output tray ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies ray 2 & Tray 3: 60 to 220 g/m²	
Media type  Media type  Media weight  Media sizes custom  Dimensions* (W x D x H)  Weight  What's In the box  HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows 05 cc 32-8 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, and 12.2, 12.3, and 132-8 64-Universal Print all 32-8 64-bit Linux 05 (In-05 (6.0x, 7.x); 0t)  Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power supply ip part number	, EcoFFICIENT, light, midweight, intermediate, heavy, extra heavy, bond, cardsto trans; Tray 1: 60 to 220 g/m²; Tr Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Tr 418 x 37	ock, colored, letterhead, preprinted, prepunched, recycled, rough, ecofficient); envelopes; labels; parencies  ray 2 & Tray 3: 60 to 220 g/m²	
Media weight Media sizes custom Dimensions* (W x D x H) Weight What's in the box HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features Systems Compatible operating systems Windows OS co 32- & 64-bit edit Print Driver (Fro 6	trans; <b>Tray 1:</b> 60 to 220 g/m²; <b>Tr</b> <b>Tray 1:</b> 76.2 x 127 mm to 215.9 x 355.6 mm; <b>T</b> ı 418 x 37	parencies a <b>ny 2 &amp; Tray 3:</b> 60 to 220 g/m²	
Media sizes custom  Dimensions* (W x D x H)  Weight  What's in the box  HP LaserJet F pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Compatible operating systems  Windows OS co 32- 8. 64-bit edit Print Driver (Fr 64-bit edition HPcom and (12.2, 12.3, Minimum system requirements)  Minimum system requirements  Pc: Windows (7 all 32- 8. 64-bit edition HPcom and (12.2, 12.3, Minimum system requirements)  Pc: Windows (5 all 32- 8. 64-bit edition)  All 32- 8. 64-bit edition HPcom and (12.2, 12.3, Minimum system requirements)  Pc: Windows (5 all 32- 8. 64-bit edition)  All 32- 8. 64-bit edition HPcom and (12.2, 12.3, Minimum system requirements)  All 32- 8. 64-bit edition HPcom and (12.2, 12.3, Minimum system requirements)  For interval and system systems  Power supply (12.2, 12.3, Minimum system)  Power supply (12.2, 12.3, Minimum system)  Power supply (12.2, 12.3, Minimum system)	<b>Tray 1:</b> 76.2 x 127 mm to 215.9 x 355.6 mm; <b>T</b> i 418 x 37		
Dimensions <sup>6</sup> (W x D x H)  Weight  What's in the box  HP LaserJet Fpages); in-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Compatible operating systems  Windows OS cc 32- 8. 64-bit edit Print Driver (Fr 64-bit edition H2com and (12.2, 12.3,	418×37	ray 2 & Tray 3: 105 x 148 mm to 215.9 x 355.6 mm	
Weight  What's in the box  HP LaserJet P pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS cc 32- & 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, and 132- & 64-Universal Print all 32- & 64-bit Linux OS (In-OS (6.0x, 7.x); Ot Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power Supply			
What's in the box  HP LaserJet F pages); In-box Flyr, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows 05 cc 32- & 64-bit edit Print Driver (F 64-bit edition HP.com and (12.2, 12.3, Minimum system requirements  PC: Windows (7 all 32- & 64 Universal Print all 32- & 64-bit Linux 05 (In-05 (6.0.x, 7.x); oti Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power supply i part number	11 / 1/0	76 x 289 mm	
pages); In-box Flyer, Warrant documentation  Warranty features  Systems  Compatible operating systems  Windows OS co 32- & 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Minimum system requirements  PC: Windows (7 all 32- & 64 Universal Print all 32- & 64-bit Linux OS (In-OS (6.0x, 7.x); Ott Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel Power  Power supply i part number		11.6 kg	
Systems  Compatible operating systems  Windows OS co. 32- & 64-bit edition HP.com and (12.2, 12.3, Minimum system requirements)  PC: Windows (7 all 32- & 64-bit editions) All 32- & 64-bit editions) All 32- & 64-bit editions (13.2- & 64-bit editions) All 32- & 64-bit editions (1	o M501n; preinstalled introductory HP LaserJet Toner cartridge (Black: ~6,000 documentation (Installation Guide, Getting Started Guide, User's Guide, Support Guide); Printer documentation and software on CD-ROM; Software drivers and on CD-ROM; CD's containing software and electronic documentation; Power cord USB cable	HP Laser Jet Pro M501dn; preinstalled introductory HP Laser Jet Toner cartridge (Black: ~6,000 pages); In-box documentation (Installation Guide, Getting Started Guide, User's Guide, Support Flyer, Warranty Guide); Printer documentation and software on CD-ROM; Software drivers and documentation on CD-ROM; CD's containing software and electronic documentation; Power cord; USB cable	
Compatible operating systems  Windows 05 cc 32-8 64-bit edition HPcom and (12.2, 12.3,  Minimum system requirements  PC: Windows (7 all 32-8 64-bit edition all 32-8 64-bit edition) all 32-8 64-bit edition HPcom and (12.2, 12.3,  PC: Windows (7 all 32-8 64-bit edition) all 32-8 64-bit edition all 32-8 64-bit edition lateral Pcin windows (6.0.x, 7.x); oti Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power supply (part number)	One year r	eturn to bench	
32-8, 64-bit edit Print Driver (Fr 64-bit edition HP.com and (12.2, 12.3, Minimum system requirements  PC: Windows (7 all 32-8, 64 Universal Print all 32-8, 64-bit Linux OS (In-OS (6.0x, 7.x); Oti  Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel Power  Power supply (part number)			
7 all 32- 8 64 Universal Print all 32- 8 64-bit Linux OS (In-OS (6.0x, 7.x); Oti  Mac: Mac OS (H installation); ded  Fonts and typefaces  Control panel  Power  Power supply t part number	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 als 2-8 64-bit editions (windows 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 7 als 32-8 64-bit editions (windows XP SP3 32-8 64-bit editions), Windows 7 all 32-8 64-bit editions (windows 8/8.1 all 32-8 64-bit editions), Windows 7 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 al		
Control panel  Power Power supply part number	PC: Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows VI3 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows VI3 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows VI3 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows VI3 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 8/8.1/10 R Linux OS (In-OS HPLIP, SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debia (6.0.x, 7.x); Other OS; UNIX; CD-ROM drive or Internet connection (for software installation); dedicated USB connection or a network connection (wired or wireless); 1 GB available hard disk space; (For operating system minimum hardware requirements, see the OS manufacture, such as microsoft.com)  Mac: Mac OS (HP Print Drivers available from HP.com and Apple Store); OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 10.11 El Capitan; Mobile OS (In-OS drivers); Internet connection (for software installation); dedicated USB connection or a network connection (wired or wireless); 1 GB available hard disk space; (For operating system minimum hardware requirements, see the OS manufacture; Such as Apple.com)		
Power Power supply part number	84 scalable TrueType fonts		
part number		ow, Down arrow, Select, Back, Settings) and 12 key numerical	
	with #option code identifier); Power consumption: 660 watts (active printing),	0 to 127 VAC, 60 Hz; Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, power supply varies by 6.1 watts (ready), 1.3 (sleep), 0.7 watts (Auto-Off/wake on USB connection, disabled at shipment) tricity consumption number: Bx: 1.623 kWh/Week; ES: 1.677 kWh/Week	
	: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experienc manuals, HP Device Toolbox, HP Product Improvement Study; For Mac 05: W	e (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user lelcome Screen, (Directs users to <u>HP.com</u> or OS App Source for LaserJet Software)	
Acoustic	Acoustic power emissions: 6.8 B(A); Acoustic power emissions (ready)*: 4.0 B(A); Acoustic pressure emissions bystander (active, printing): 54 dB(A);		
Environmental ranges Operation		temperature: 17.5 to 25° C (63.5 to 77° F); Non-operating humidity range: 10 to 90% RH; mmended operating humidity range: 30 to 70% RH	
Security management Embedded W	Acoustic pressure emission g temperature range: 15 to 32.5° C (59 to 90.5° F); Recommended operating	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; SNMPv3, 802.1X, Secure Boot	
EN 6247	Acoustic pressure emission g temperature range: 15 to 32.5° C (59 to 90.5° F). Recommended operating Operating humidity range: 10 to 80% RH; Recor eb Server: password-protection, secure browsing via SSL/TLS; Network: enable/		
Supported network protocols  TCP/IP, IPv4  Discovery:	Acoustic pressure emission g temperature range: 15 to 32.5° C (59 to 90.5° F); Recommended operating Operating humidity range: 10 to 80% RH; Recomber Server: password-protection, secure browsing via SSL/TLS; Network: enable; HTTPS with certificate validation, HTTP Basic Access Authentication: 1:2005 +11:2009 + A12:2013 (International); EN60950-1:2006 + A11:2009 + A12:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark (Euror 2 2nd Ed. 2011-12 Compliance with Laser safety standards 21 CFR 1040.10 and	2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product); ppe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 d 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety et by individual countries	

<sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <a href="https://exact/speed/aries/bepending-on-the-input voltage">https://exact/speed/aries/bepending-on-the-input voltage</a>, system configuration, software application, driver, and document complexity. <sup>2</sup> Measured using ISO/IEC 17629. For more information see <a href="https://exact/speed/aries/bepending-on-the-input voltage">https://exact/speed/aries/bepending-on-the-input voltage</a>, system configuration, software application, driver, and document complexity. <sup>3</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. <sup>4</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>5</sup> Optional 550-sheet input tray; Optional printer stand. <sup>6</sup> Includes control panel height and 4mm side handle protrusions. <sup>7</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device. <sup>8</sup> Acoustic values are subject to change. For current information see <a href="https://exact/speed/acat-/speed/acat

### To learn more, visit hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or opicisions contained begin

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and AirPrint Logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

